



GardenProducts
www.texas.dk



INDEX

- Electric tillers** page 3
- Hobby tillers** page 4-5
- Lilli tillers** page 6-7
- Futura tillers** page 8-9
- Pro Trac tillers** page 10-11
- Miscellaneous**
- Scarifiers and**
- lawn edgers** page 12-13
- lawn mowers** page 14-17
- Lawn tractor accessories** page 17
- Trimmer/Brushcutters** page 18-19
- Hedge trimmers** Page 20
- Chain saws** page 21
- Leaf blowers** page 22
- Cleaning machines** page 23
- Snow throwers** page 23
- Handy/Mini sweepers** page 24
- Pro Sweeper** page 25
- Log splitter** page 26-27
- Texas water pumps, generators**
- and earth auger** page 28
- ATV (Off roader)** page 29
- Tex Parts** page 30

You are always welcome to contact us by mail, fax or phone.

Phone: +45 63 95 55 99

Fax: +45 63 95 55 58

e-mail: export@texas.dk

www.texas.dk

Address:

Texas Andreas Petersen A/S
Knullen 22 · DK-5260 Odense S
Denmark

Dear TEXAS reader!

Welcome to the newest catalogue of TEXAS garden products. This catalogue presents a wide range of products designed for use during spring, summer, autumn and winter. This means that no matter if you are an importer of Texas products, a dealer or if you are one of our many private or professional users of a Texas product, there is something to keep you busy all year round.

TEXAS - Danish design and innovation

Texas was founded in 1960 and is today 100% Danish owned. Our deep roots in production and designing machines for the garden people are shown in our many new product designs that are created continuously. Our product development division makes sure that we keep our status on the market as a proactive supplier that offer innovation and creative machine designs to our customers.

This can be seen on our newly designed gasoline brush cutter and trimmer design (shown in this catalogue) which are unique in ergonomy, design and user friendliness.

Another great example is our Futura 6003 multi machine that is a result of many years experience within manufacturing tillers combined with our goal to create the most user friendly and powerfull machine at the best possible price.

Only such products carry our distinctive Texas logo!

TEXAS - total flexibility and low costs through own assembly

Through our assembly line we handle big production series and manage coordination of productions and shipments within short time directly from factory - either in Texas branding or as personalised products in private brand.

TEXAS - we guarantee a professional service

When you work with Texas you are secured a professional after sales service that will guarantee you a safe investment in your machines. With more than 40.000 spare parts in stock and a full set of technical product documentation available on-line on www.texas.dk we ensure you the service you deserve. All our business partners work with Texas via our online service systems in a quick and smooth way where each order is processed from receipt till dispatch from our warehouse in minimum time.



TEXAS - we supply to you anywhere, at any time

The unique logistical system is a key factor to fast and cost efficient deliveries. We supply small shipments on a (day-to-day basis) from our central warehouse in Denmark. Most products are continuously in stock for the season which means that the speed of deliveries through our distribution system is very fast. Should you need deliveries in container loads directly from our factory in the Far East this will be carried out in a quick and flexible way - at low cost.

www.texas.dk

Find more information of products, specifications, user manuals, pictures on our informative web site www.texas.dk. Here you will also find video presentations of products like our Lilli and Futura tillers and our sweepers. Use our web site as part of your marketing or simply as your own personal guide to find the information about Texas that you need.

We hope that you will enjoy our catalogue!

GardenProducts

www.texas.dk



Electric Mini Cultivators

With the electric Texas Mini Cultivators you get low weight, low noise and easy operation in one time. The cultivators are perfect in flowerbeds, between bushes and in general where the space is narrow and does not allow other machines to get in. You get a surprisingly big power output and consequently high work performance out of the machines.

Packed in nice 4 coloured boxes in a ready to use packaging.



5-in-1

Weeding out

Cultivating and airing

Fertilizing

Planting

Edge cutting along with lawns or flower beds

How it works?

The two knives are moving in opposite directions which gives a steady and calm working process. The result is incredible and a very effective way of a cultivating.



Cat. no. 90062085

Texas ES 300

Motor: 300 watt / 230V
Working width: 15 cm
Working depth: 10 cm
Adjustable handle
Handle: divisible
Weight: 4,6 kg

Cat. no. 90063007



El Tex 1300

Motor: 1300 Watt / 230 V
Working width: 28 cm
Working depth: 20 cm
Support wheels
Weight: 15 kg.

Cat. no. 90062084



Garden 2009 · www.texas.dk



Texas Hobby tillers

The simplicity in design - yet strong in power and reliability makes the hobby tillers very popular for most garden tasks.
 The adjustable handlebar ensures optimum working position and makes it less space demanding during storage and transport.
 The Hobby 500 series are equipped with a unique foot operated support wheel system that allows for maximum user comfort.
 High flexibility is achieved with a wide range of accessories which can be attached without the use of tools.



Hobby 370 TG

Engine: 3.7 HP Power Line
 Transmission: 1 forward
 Adjustable handle
 Rotation speed: 130 rpm
 Working width: 38 cm
 Working depth: 20 cm
 Weight: 28 kg.

Cat. no. 90260030100



Hobby 400 B

Engine: 4 HP B&S
 Transmission: 1 forward
 Adjustable handle
 Rotation speed: 130 rpm
 Working width: 38 cm
 Working depth: 20 cm
 Weight: 31 kg.

Cat. no. 90260020100

Also available with 3.5 HP B&S engine
 on request



ACCESSORIES

Ridger



Cat. no. 91032500100
 (Needs 10" wheels)

Scarifier 55 cm



Cat. no. 91033000100

Rake 60 cm



Cat. no. 91031000100
 (Needs 10" wheels)

Wheels set 10"



Cat. no. 91032000100

Weeder 40 cm



Cat. no. 91031500100
 (Needs 10" wheels)

Rain cover



Cat. no. 40-11720



1 gear forward + 1 reverse

Hobby 500 BR

Engine: 5.5 HP B&S Quantum
 Transmission: 1 gear forward + 1 reverse
 Rotor speed: 130 rpm
 Working width: 55 cm
 Working depth: down to 33 cm
 Adjustable handle
 Incl. Support wheels and depth skid
 Weight: 43 kg

Cat. no. 90265244100

Hobby 500 B

As Hobby 500 BR but without reverse gear

Cat. no. 90265044100

Hobby 500 TG

As Hobby 500 B but with a 4.75 HP Power Line engine

Cat. no. 90265048100



ACCESSORIES

Ridger



Cat. no. 91060500100
 (Needs rear console and 12" wheels)

Rake 80 cm



Cat. no. 91062500100
 (Needs rear console and 12" wheels)

Weeder 65 cm



Cat. no. 91061500100
 (Needs rear console and 12" wheels)

Wheels set 12"



Cat. no. 91053000100

Wheel weight set 12" 10 kg each



Cat. no. 91097000100

Iron wheels set 12"



Cat. no. 91060600100

Rear console

Used when the accessory is rear mounted.
 (except ridger)



Cat. no. 91059000100

Smart wheel support

Unique and smart support wheel system.
 Easy to operate with the foot. Quick conversion to transport mode.



Texas Lilli tillers - the strong choice for the demanding user

The TEXAS Lilli tiller help you perform heavy garden tasks. The combination of low weight and a suitably large engine power makes the Lilli an effective and easy-to-handle tiller, which is simple to use yet strong in power. The knives are bolted and detachable for maximum flexibility.

On all models you can attach a range of useful accessories: Ridger (with digging claws), rake for soil and pebbles, scarifier, weeder, hoe iron, snowblade and many more.



Lilli 530 TG

Engine: 5 HP Power Line
Tank size: 3.6 litres
Transmission: 1 forward
Rotation speed: 180 rpm
Working width: 30-85 cm
Working depth: 33 cm
Detachable and bolted blades
Weight: 48 kg.

Cat. no. 40053060100



Lilli 532 TG

Engine: 5 HP Power Line
Tank size: 3.6 litres
Transmission: 1 forward og 1 reverse
Rotation speed: 180 rpm
Working width: 30-85 cm
Working depth: 33 cm
Detachable and bolted blades
Weight: 48 kg.

Cat. no. 40053260100

Lilli 532 B

As Lilli 532 TG but with a 5.5 HP B&S engine

Cat. no. 40053240100

ACCESSORIES

Weeder 60 cm



Cat. no. 91070000100
(Needs 12" wheels)

Ridger for Lilli



Cat. no. 91056000100
(Needs rear console and iron wheels)

Lawn aerator 66 cm



Cat. no. 91051500100
(Needs rear console)

Rake 80 cm



Cat. no. 91062500100
(Kræver hjul og bagkonsol)

Weeder 65 cm



Cat. no. 91061500100
(Needs rear console and 12" wheels)

Snow blade 75 cm
including attachment



Cat. no. 92000160100
(Needs front attachment plate and 12" wheels)

Wheels set 12"



Cat. no. 91053000100

Wheel weights set 12" - 10 kg each



Cat. no. 91097000100

Side disc set



Cat. no. 91061000100

Iron wheel set 12"




Cat. no. 91060600100

Rotor knife set 30cm extention width



Cat. no. 91050700100

Front attachment plate



Cat. no. 91058000100

Rear console
Used when the accessory is rear mounted. Not ridger.



Cat. no. 91057000100

Rain cover



Cat. no. 40-11720



See video on
www.texas.dk



Futura 6003

A multi machine with muscles

Texas introduces an upgraded version of our well known Futura series. With a solid construction, this versatile machine can be used as a powerful tiller as well as a strong ploughing machine that does the job for the demanding user. Easy change of speeds (no belts needed). The universal adapter ensures a large range of accessories such as 16" wheels, heavy duty iron wheels, turning plough, trailer with seat etc.

The number of work purposes are endless if you are an owner of a Texas Futura machine. 3 engine options available.



Futura 6003 R

Engine: Robin Subaru 6 HP
Tank size: 3.6 litres
Transmission: 2 forward+1 reverse in integrated gear box
Rotor rotation speed: 90 RPM
Standard 3 knife rotor set
Working widths: 1 knife set 36 cm / 2 knives set 64 cm / 3 knives set 83 cm
Working depth: 33 cm
Detachable and bolted knives
Universal rear mounting plate
Support wheels fully adjustable and foot operated
Basic weight without weight blocks: 62kg

Cat. no. 90145525100




Futura 6003 TG

As Futura 6003 R but with a 6 HP Power Line TG650B engine
Cat. no. 90145570100

Futura 6003B B&S 6,5

As Futura 6003 R but with a 6.5 HP B&S Vanguard engine
Cat. no. 90145545100



Clutch handle

Ergonomic operation.



Support Wheel

Foot operated support wheels. Easy and quick usable system which transforms the machine from working mode till transport mode. The wheels have ball bearings.



See video on
www.texas.dk

1 **Engine:** Choose between 3 engine options:

- TG650 6HP Powerline engine at high quality and low costs.
- B&S 6,5HP well known brand and classic engine.
- Robin Subaru EX17 6HP professional engine constructed for 3000 hours of use.

2 Strong gear box with integrated gear shift (no belts are needed for this task) that ensures maximum strength even for heavy garden work.

3 Rear adapter fits most accessories available. Easy to use, no tools needed and made in solid metal.

4 Transport wheels with ball bearings and foot operated support bracket that allows for quick conversion to transport mode and vice versa. This system is unique for the Futura and makes it very easy to transport the machine despite the high weight of the machine.

5 Adjustable handle allows the correct working position for all tasks. Can be side adjusted when ploughing or cultivating to avoid walking directly on the trail.

6 Rotor knives made in hardened steel and bolted for easy exchange should a breakage occur. Standard working width of 85 cm can be reduced to 30 cm by disassembling the number of rotor sets.

7 Ergonomic clutch handle for easy engagement of gear box.



Gear box

2 speed forward and 1 speed reverse. Adjust the speed for any purpose you need and depending on the accessory you work with. No risk of belt overloading and no need of exchanging belts when speed is changed.



Adjustable handle

Multi adjustable handle can be moved in all directions. A solid metal lock secures the handle in the desired position even during very demanding work.



ACCESSORIES

Weeder 60 cm



Cat. no. 91070000100

Wheels set 16"



Cat. no. 91065500100

Ridger for Futura



Cat. no. 91060500100

Wheel weights set 21,5kg each



Cat. no. 91098000100

Plough 6"



Cat. no. 91093000100

Side disc set



Cat. no. 91065600100

Rake 80 cm



Cat. no. 91062500100

Iron wheels set 16"




Cat. no. 91065700100

Potatoe plough



Cat. no. 91061200100

Front attachment plate



Cat. no. 91065800100

Weeder 65 cm



Cat. no. 91061500100

Basis front weight 12 kg



Cat. no. 91090000100
(Needs front attachment plate)

Snow blade 75 cm including attachment



Cat. no. 92000160100
(Needs front attachment plate and 16" wheels)

Extra front weight 12 kg



Cat. no. 91090500100

Trailer with seat and brake



Cat. no. 91200150100



Texas Pro Trac 2-wheeled tractor - versatile machines with incredible power

The Texas Pro Trac series are universal two-wheeled tractors that cover the needs of a professional user.

The models range from Pro Trac 500 up to Pro Trac 900 available with both gasoline and diesel engines.

Handling is simple and straight forward despite the power and size of the machines.

Large amount of accessories available. The Pro Trac can be converted to a sweeper simply by removing the rear tiller and then attach the sweeper unit to the quick clutch without the use of tools.



Pro Trac 500R

Engine: 5 HP - gasoline Power Line TG 550

Starter: Recoil

Transmission

(rearmounted accessories): 1 forward, 1 reverse

(frontmounted accessories): 1 forward, 1 reverse

Wheel size: 4.00x8

Weight: 51 kg.

Cat. no. 42020865



Pro Trac 555R

Engine: 5 HP - gasoline Power Line TG 550

Starter: Recoil

Transmission

(rearmounted accessories): 3 forward, 2 reverse

(frontmounted accessories): 2 forward, 2 reverse

Wheel size: 3.50x8

Quick clutch

Weight: 65 kg.

Cat. no. 55520870

Pro Trac 700D

Engine: 6 HP - diesel Power Line TD 600

Starter: Recoil

Transmission

(rearmounted accessories): 3 forward, 2 reverse

(frontmounted accessories): 2 forward, 2 reverse

Wheel size: 5.00x10

Quick clutch

Weight: 115 kg.

Cat. no. 70020960



1 Engine: Strong and reliable gasoline or diesel engines available from 5HP up to 9HP with electric starter.

2 Gear box: The gear box is of very high quality and guarantee you a reliable working platform. The gear box components are of high quality materials which are used in the assembly process. The shift between the forward and reverse gear is easy and quickly made.

3 Handle bar: Handle bar with anti vibration increases the user comfort during long working days. Further more the handle can be turned 180 degrees depending on which accessories that are used. A plastic cover on top of the handle bar protects all wires and other sensitive parts and gives a nice design of the machine.

4 Gear: Differential gear is available on the 900 model which means that the machine can be used even on slippery surfaces with better traction. At the same time the wheels can turn in opposite direction which makes it easier to change direction of the machine when working.

5 Quick clutch: Exchange accessories easily and without the use of tools. Fits all accessories for Pro Trac and Pro Sweep series.

Pro Trac 900DE

Engine: 9 HP - diesel Power Line TD 900E

Electric starter

Transmission:

(rearmounted accessories): 4 forward, 3 reverse

(frontmounted accessories): 3 forward, 3 reverse

Wheel size: 5.00x10

Quick clutch

Weight: 125 kg.

Cat. no. 90041260



**The Pro Trac's are easily converted
in to a professional Sweeper
machine. See page 25**



ACCESSORIES Pro Trac 700 - 900

Rotary tiller

Needs 4.00 x 8.



Cat. no. 984611
(Pro Trac 900 - 37-68 cm)
Cat. no. 984511
(Pro Trac 700 - 37-58 cm)

Sweeper 80 - 100 cm



Cat. no. 93500080100
(Pro Trac 700 and 900 - 80 cm)
Cat. no. 93500100100
(Pro Trac 900 100 cm)

Single plough

Needs attachment frame



Cat. no. 943122

Turning plough

Needs attachment frame



Cat. no. 943222

Ridger

Needs attachment frame



Cat. no. 944122

Rake 75cm



Cat. no. 93500500100

Rotor cutter 75cm

Needs front weight



Cat. no. 9L6411

Cutting bar 117cm



Cat. no. 9L6911

Snow blade 125cm



Cat. no. 9E6511

Snow thrower 70cm



Cat. no. 9E9622

Wheels set



Cat. no. 900112 (4.00 x 8)
Cat. no. 900412 (5.00 x 10)

Light device complete

ONLY 900DE



Cat. no. 93500350100

EXTRA

Front weight Cat. no. 9G4812

Attachment frame Cat. no. 945322

Pulling bar Cat. no. 9F4212

Counter part for quick clutch Cat. no. 954812

Iron Wheels - only 700 Cat. no. 920312

ACCESSORIES Pro Trac 555

Collection box

Mounted with sweeper



Cat. no. 93300200100

Rotary tiller, 37 - 58 cm

Needs 4.00 x 8.



Cat. no. 978911

Sweeper 80 cm



Cat. no. 93300180100

Cutting bar 117 cm



Cat. no. 9L2811

Snow blade 100 cm



Cat. no. 9E6411

Snow thrower 60 cm



Cat. no. 9E6922

ACCESSORIES Pro Trac 500

Collection box

Mounted with sweeper



Cat. no. 93300200100

Rotary tiller, 50 cm

Needs 4.00 x 8.



Cat. no. 978511

Sweeper 80 cm



Cat. no. 93300080100

Cutting bar 96 cm



Cat. no. 9L2411



Texas Lawn edgers and scarifiers

This unique range of lawn edgers will enable you to cut the lawns in perfect shapes in an easy way. Choose between our electrical operated lawn edger with comfort and low noise or use our gasoline lawn edger for the more demanding tasks where total maneuverability and power is needed.

Texas scarifiers are highly efficient either as the electrical combi version or our professional gasoline driven machines with movable knives in hardened steel and height adjustment. Can be used for professional needs or rental business.



Effective lawn scarifier / ariator

MPC1200 is a combined scarifier and ariator. that cleans the lawn for moss and aires the soil in one time.

Texas MPC1200-2-in-1

Effect: 1200 Watt
Collection box: 33 Ltr
Working width: 30 cm
Height adjustment: 3 positions

Cat. no. 90062098



Lawn edger EC1400

Motor: 1400 Watt
Working depth: 15, 25, 38 mm
Adjustable handle
Telescope bar
Weight: 7 kg

Cat. no. 90062053



Lawn edger EC2600

Engine: 26 cc - 2-stroke Power Line
Working depth: 10, 20, 30 mm
Adjustable handle
Telescope bar
Weight: 7.5 kg

Cat. no. 90062059



Weed cleaner for lawn edger

Removes weed and moss easily and effectively.

Cat. no. 90062054



Pro-Cut 460TG

Engine: 5 HP Power line TG500B

Transmission: Push

Working width: 46 cm

Rotor diameter: 210 mm

Steel deck

48 all metal moving knives of hardened steel

Height adjustable rotor

Foldable handle bar

Weight: 66 kg

Cat. no. 91546060100

Pro-Cut 460B

As Pro Cut 460TG,
but with 5.5 HP B&S engine

Cat. no. 91546040100



Easy adjustment of the working height. The red handle is used for conversion into transport mode.


48 heat treated and movable knives. Great durability and long life time even when used in professional conditions.



Texas lawn Products - the perfect treatment for the grass

An interesting selection of products for the hobby user, which will complete your lawn product range and add the possibility to sell interesting and unique products.

Unique and sellable designs and economy are keywords concerning this range of products.



Texas Spinner Alu 38H

Working width : 38 cm
Deck material/Wheels: Aluminium
Cutting height: 15-55 mm
Untouchable knives

Cat. no. 90062007



Spinner 40 H

Working width: 40 cm
Deck material/Wheels: Steel
Height adjustment: 15-32 mm
Weight: 8.5 kg

Cat. no. 90062010



Collection box

Cat. no. 90062008



BATTERY OPERATED



Noiseless and 4 features

Extra battery

Cat. no. ES002

Incl. trimmer/lawn edger

Use the lawn mower as a trimmer or lawn edger with this accessory kit.
– easy to assemble.



Texas EKO 360 Combi

Motor: 24 volt battery 10 Ah
Working width: 35 cm
Knife: Metal
Mulching: Yes
Collecting box: 35 ltr
Working time from: 40 - 60 min
Ball bearing
Height adjustment: Central 6 pos. 28-75 mm
Weight: 22 kg

Cat. no. 90062094



Texas Combi SP 46 TR

Engine: TG475 Power Line 4.75HP gasoline
 Self propelled
 Working width: 46 cm
 Collection bag: 60 ltr
 Deck: Steel
 Ball bearings
 Height adjustment: Central 5 pos. 25-70 mm
 Weight: 35 kg

Cat. no. 90066023

Texas Combi SP 46

As Texas SP 46 TR but
 not self propelled

Cat. no. 90066013



Rain cover for lawn mower

Cat. no. 40-11720

Texas Combi SP 46TR/W - High Wheeler

Engine: TG475 Power Line 4.75HP gasoline
 Self propelled
 Working width: 46 cm
 Collection bag: 60 ltr
 Deck: Steel
 Ball bearings
 Height adjustment: Central 5 pos. 25-70 mm
 Weight: 36 kg

Cat. no. 90066025





Texas lawn mowers

Texas presents a interesting range of gasoline lawn mowers. The lawn mowers are fitted with a 4-stroke 4,75 HP Power Line engine. There are two lines of lawn mowers in the range – The range is available with either 46 cm or 50 cm cutting width, which give the users possibility to find the lawn mower exact for their demand.

On the combi models you have the possibility to use the lawn mower with collection bag, rear discharge or mulching, which gives flexibility for the user. Finally the range is based on a new Texas design which differentiates the mowers from similar models, and this combined with a competitive price gives a very interesting range of lawn mowers.



Texas Combi SP 50 TR/W - High Wheeler

Engine: TG475 Power Line 4.75HP gasoline

Self propelled

Working width: 50 cm

Collection bag: 60 ltr

Deck: Steel

Ball bearings


Height adjustment: Central 7 pos. 25-75 mm

Weight: 37.5 kg

Cat. no. 90066027

COMBI 3-IN-1

COMBI 3-IN-1



Collection bag

Ideal for most types of gardens, where the grass is cut regularly. The grass is collected into the big 60 l. collection bag and leaves the lawn in a beautiful condition – with no trace of grass pieces.


The collection bag can also be used in the autumn to vacuum the lawn for leafs and small branches.



Rear discharge

Suitable for places, where the grass is not cut so often and where it is therefore long.

A collection bag would quickly be full and should be emptied many times. With a rear discharged lawn mower, you will get the work done faster and easier.



Mulching

Mulching is easy and gives a nice result. With the mulching plug fitted into the lawn mower, the grass is cut into very small pieces, which will disappear down into the lawn – and works as a natural fertilizer. Mulching however, requires a regular lawn mowing, 1-2 times per week, where the grass is dry, in order to get the best result.

Garden SP 50 TR

Engine: Power Line TG475 gasoline 4.75HP

Self propelled

Cutting width: 50 cm

Collection box: 50 ltr

Deck: Steel

Height adjustment: Central, 5 pos., 30-75 mm

Ball bearings

Soft grip handle

Weight: 37 kg

Cat. no. 90066022

Garden SP 50 (push)

As SP 50 TR but not self propelled

Cat. no. 90066012





Rain cover for lawn mower

Cat. no. 40-11720

Texas Garden MT 510

Engine: 4.75 HP 4-takt Power Line
Height adjustment: 3 pos., 25-55 mm
Working width: 50 cm
Weight: 27 kg

Cat. no. 90066002



Accessories - Lawn tractor

Lawn spiker 120 cm



Cat. no. 90053032

Drum 65 cm



Cat. no. 699024

Collection box for grass and moss 96 cm



Cat. no. 90053031

Scarifier 96 cm



Cat. no. 90053033

Rake 120 cm



Cat. no. 90053035

Big trailer - can be tipped



Cat. no. 90053030

Small trailer - can be tipped



Cat. no. 90053034



Texas Brush cutters and trimmers

Texas has developed a product range of cost effective and strong brush cutters and trimmers in a reliable quality. The range goes from 30 cc up to 43cc and engines are 2-stroke or 4-stroke with high power rate. The brush cutters are developed in a unique Danish design, which gives a different and very attractive line of brush cutters.. The brush cutters have low vibration and offers high level of ergonomic with comfortable carrying harness and ergonomic adjustable handles.

A range of nylon trimmer lines and cutting blades is available.

Further more a general range of accessories is available in our Tex Part packaging.



Advantages with a Lithium battery

- Always ready for use
- almost no self discharge
- up to 50 percent lower weight and better effect than the traditional battery.
- It makes the machine lighter and more manageable.
- Charger 80 percent at half the normal charging time – it gives only short breaks by working.
- The battery does not have to be discharged before new charging
- Lithium batteries are environmental friendly



Lawn edger



Texas trimmer ET 18 Li

Battery: 18 volt Lithium 1.3 Ah
Capacity: 25 - 35 min
Charging time: 3-5 hours
Cutting width: 23 cm
Weight: 2.5 kg

Cat. no. 90063057



Texas Trimmer GTX300

Engine: 2-stroke Euro 2 / 30cc
Revolutions: 7500 rpm
Recoil start
Carburettor: Membran
Trimmer Head: tap'n go 2.0 mm
Cutting width: 40 cm
D-handle
Curved shaft
Weight: 5.1 kg

Cat. no. 90062035

ET 1000

Motor: 900 watt / 230 volt
Cutting width: 38 cm
Handle: 2-handle w. softgrip
Cutting line diameter: 2 mm
Weight: 5 kg

Cat. no. ET1000



See page 30

Texas Brushcutter BC335/4

Engine: 4-stroke / 33.5cc
 Tank capacity: 0.65 ltr
 Cutting width: 42 cm w. line
 Trimmerhead: Tap'n go 2.4mm
 3-tooth cutting blade
 Cutting width: 25 cm w. blade
 V-handle
 Straight Shaft
 Incl. pro harness
 Weight: 6.9kg

Cat. no. 90062038

4-Stroke

Texas Brushcutter BCX300

Engine: 2-stroke Euro 2 / 30cc
 Recoil start
 Carburettor: Membran
 Trimmer head: tap'n go 2.4 mm
 Cutting width: 40 cm w. line
 4-tooth cutting blade
 Cutting width: 23 cm w. blade
 V-handle
 Straight shaft
 Incl. pro harness
 Weight: 6 kg

Cat. no. 90062036

Texas Brushcutter BCX320

As BCX300 but with 32 cc engine
 Cat. no. 90062037

Texas Brushcutter CG430B

Engine: 2-stroke / 43 cc
 Revolutions: 6500 rpm
 Recoil start
 Carburettor: Membran
 Trimmer head: tap'n go 2.4 mm
 Cutting width: 40 cm w. line
 3-tooth cutting blade
 Cutting width: 25 cm w. blade
 Straight shaft
 Incl. Luxery harness
 Weight: 8.2 kg

Cat. no. CG430B

Double harness
 with comfortable shoulder pads and hip pad
 which gives a good balance
 of weight and minimize strain in
 the arms during use.

Luxury harness

Professional harness

Professional double harness
 which is constructed with a solid support plate. The support plate and the comfortable pads give an optimal balance of weight and spare the arms during use. The harness has quick adjusting straps, to make it fit optimal.

Garden 2009 · www.texas.dk

19



Texas chain saws and hedge trimmers

Everyone with garden and hedge need a hedge trimmer, and why not choose a hedge trimmer which has all the qualities which will help you to do the cutting. Texas presents a range of hedge trimmers and the user can choose models with either an electric or gasoline engine, or a battery-powered model. The Electric hedge trimmers have the advantages that they are easy to maintain, economic in operation and they weigh less than the gasoline models. With Texas gasoline hedge trimmers you are free and flexible without any cables.



Hedge trimmer SH 18 Li

Battery: 18 Volt Lithium 1.3Ah
Capacity: 35-45 min
Sword length: 52 cm
Cutting width: 14 mm
Handle: turnable 180 degrees
Front handle: 3 positions
Aluminum bar
Weight: 2,5 kg

Cat. no. 90063058

Hedge Trimmer SH 650

Engine: 650 Watt / 230 volt
Bar length: 610 mm
Cutting width: 24 mm
Handle: turnable 180°
Aluminum bar
Weight: 4,2 kg

Cat. no. 90063059



Turnable handle



Hedge trimmer SHT 650

Engine: 650 Watt / 230 Volt
Bar Length: 610 mm
Cutting width: 20 mm
Handle: turnable 180°
Aluminium bar
Weight: 4,1 kg

Cat. no. SHT650

Hedge trimmer HT 260

Engine: 2-stroke / 26 cc
Bar Length: 600 mm
Cutting width: 27 mm
Weight: 5,4 kg

Cat. no. 90062029



Turnable handle



**EK 2000-40**

Engine: 2000 Watt / 230 Volt
Bar Length: 40 cm
Chain brake
Toolless adjustment of chain
Automatic lubrication
Weight: 4,6 kg

Cat. no. 90063002

**TS 450-18**

Engine: 2-stroke 45 cc / 1.1 kW
Ignition system: Electronic ignition
Carburetor: walbro
Adjustment of chain: Demand tools
Chain brake: Yes
Lubrication of chain: Automatic
Length of saw bar: 45 cm
Weight: 6.5 kg

Cat. no. 90063009

**TS 372-16**

Engine: 2-stroke 37.2 cc / 1 kW
Ignition system: Electronic ignition
Adjustment of chain: Demand tools
Chain brake: Yes
Lubrication of chain: Automatic
Length of saw bar: 40 cm
Weight: 5.5 kg

Cat. no. 90063004



See page 30

**TS 500-18**

Engine: 2-stroke 49.3 cc / 2.2 kW
Carburetor: Walbro
Length of saw bar: 45 cm
Adjustment of chain: Manual (with tool)
Lubrication of chain: Automatic
Tank capacity: 600ml
Oil capacity: 260ml
Weight: 7 kg

Cat. no. 90063003



Texas Cleaning machines


Texas presents a range of cleaning machines, which are suitable for different cleaning jobs in the garden. In this range you find products with an electric motor, gasoline engine, or battery-powered products, which give the users possibility to find the product exactly for their needs. Ergonomic and user-friendly features have high priority on these products, and it gives the user good experience by working in the garden. This range makes sure that you can find a cleaning machine for each of the 4 seasons!



Leafblower BV2400

Motor: 2400 Watt / 230 Volt
Max blowing speed: 270 km/h
Suction capacity: 14 m³/min
Collection bag: 35 litres (Reduces volume up to 10 times)
Carrying strap
Softgrip
Weight 4,5 kg

Cat. no. BV2400



Leafblower GVB 31

Engine: 2-stroke 31 cc Euro 2
Max blowing speed: 250 km/h
Suction capacity: 12 m³/min
Collection bag: 35 litres
Weight: 6,3 kg

Cat. no. 90063006



Texas Power Cart 120

Motor: 350 Watt 24V/10Ah
Capacity: 120 kg
Speed: 0- 4.2 km/t
working time: 2 hours
Weight: 75 kg Incl battery
width: 80 cm.

Cat. no. 90063062

Texas Power Cart 120

Whether you work in the stable or at the riding school, you launch into greater garden or building projects. Most of us know how it feels to have signs of pain in the back during our work with the wheelbarrow. But why struggle when the job can be done without? The 24 Volt battery ensures a working speed that goes up to 4.2 km/h. The combination of the dump body and a working height on 94 cm this wheelbarrow is an efficient and an ergonomically correct tool for a professional as well as a private consumer.



Battery

Included is an extra 24V/10 AH battery with a build in handle to ensure that the work can be done without interruptions. Approx. 2 hours working time per charge.



Sealed up engine

The engine is enclosed in the front wheel to protect the engine against impact and weather.



Ingenious tip

The bed of the wheel barrow which can load up to 120 kg can easily be tipped by using the single handle.



Transportable leafblower ELS 2500

Motor: 2500 Watt / 230 Volt
Collection bag: 45 litres
Max blowing speed: 270 km/h
Suction capacity: 20m³/min
Weight: 11 Kg

Cat. no. 90063005

High pressure cleaner HP160

Motor: 2200 Watt / 230 Volt
Max pressure: 160 bar
Working pressure: 100 bar
Capacity: 6.5 l/min
Auto start / stop function
Incl. multispeed lance,
turbo lance, Soap container
Foldable handle
Weight: 9 kg.

Cat. no. HP160



Snow Buster 450

Engine: 4,0 HP Power Line
Working width: 52 cm
Working height: 26 cm
Throwing distance: 2-8 meter
Weight: 38 kg

Cat. no. 90062044



Snow Buster 560

Engine: 5,5 HP Power Line
Transmission: 3 forward & 1 reverse
Working width: 56 cm
Working height: 51 cm
Throwing distance: 10-15 meter
Weight: 72 kg

Cat. no. 90062045

Centrifuge spreader CS2500

Capacity: 25 ltr
Max spreading width: 2 m
Adjustable dosing
Big pneumatic wheels
Weight: 10 kg.

Cat. no. 90052014





Texas Sweepers - all year cleaning machines

Texas Sweepers - unique designed cleaning machines for use at both summer and winter time.

The Texas sweeper line consists of the following models: Mini Sweep - Handy Sweep - Pro Sweep. All machines are highly ergonomically designed and offer simplicity in use with high effectiveness in the work carried out.

Use the machines for cleaning of leafs, sand and dirt around houses, blocks, parking spaces etc. Due to the strong construction of the brushes the Handy Sweep and Pro Sweep series are also ideal for snow cleaning.



 See video on
www.texas.dk

Accessories

Handy Sweep 600

Snowblade



Cat. no. 90228500100

Collection box



Ideal for use in dry conditions
- reduces dust

Cat. no. 90228000100

Mini Sweep

The Mini Sweep is a smart multi machine that sweeps around houses and other smaller areas. It can be used for many purposes and with a variety of accessories.

Accessories

MiniSweep 450X

Scarifier 45 cm



Cat. no. 91020200100

Lawn edger



Cat. no. 91020400100

Lawn spiker 24 cm



Cat. no. 91020600100

Weed cleaner



Cat. no. 91020800100

Ridger



Cat. no. 91020700100



cultivating rotors
are included



Pro Sweep 900DE - 100 cm

Engine: 9 HP - diesel Power Line TD 900E

Electric starter

Transmission

(frontmounted acc.): 3 forward, 3 reverse

(rearmounted acc.): 4 forward, 3 reverse

Wheel size: 5.00x10

Quick clutch

3 adjustable sweeper positions

Weight: 225 kg.

Cat. no. 90190060100



Pro Sweep 700D - 80 cm

Engine: 6 HP - diesel Power Line TD 600

Starter: Recoil

Transmission

(frontmounted acc.): 2 forward, 2 reverse

(rearmounted acc.): 3 forward, 2 reverse

Wheel size: 5.00x10

Quick clutch

3 adjustable sweeper positions

Weight: 206 kg.

Cat. no. 90170060100

Accessories

See on page 11

Pro Sweep 500 R

Engine: 5 HP TG550 Power Line

Transmission: 1 forward & 1 reverse

Working width: 80 cm

Brush diameter: 450 mm

3 adjustable sweeper positions

Weight: 99 kg.

Cat. no. 90156060100





Texas log splitters

When the autumn and winter is approaching there is nothing like spending an evening together with your friends or family in front of the fire place. And now you can get some assistance with the hard work cutting the wood so that you have more time to spend with your family and less time doing the actual work.

Texas presents a line of log splitters which fits most needs, if you need a small handy log splitter which is easy to transport and bring along to your summer residence or if you need a larger capacity for your amount of wood. In the development of this range attention has been drawn to obtaining a unique and safe user comfort.



Power Split 520 H

Motor: 1500 Watt / 230 volt
Capacity: 5 tons
Working length: 52 cm
Horizontal working position
2 hand operation
Weight: 50,5 kg

Cat. no. 90052096



Steel table for Power Split 520 H

Cat. no. 90052095

With Texas Power Saw 2200 you can quickly handle the hard work sawing wood. With a motor of 2200 Watt it can saw lengths up to 1,5 m with maximum diameter of 130 mm. The electric motor is furthermore equipped with a motor brake, which automatically turns off the motor at overload.

Power Saw 2201

Motor: 2200 Watt / 230 volt
Cutting diameter: 125 mm
Blade: 400 mm
Weight: 51 kg

Cat. no. 90052000




Cross splitter head



Collector plates



Trailer hook



Power Split 800 H - electric

Motor: 1800 Watt / 380 Volt
Capacity: 8 tons
Working length: 63 cm
Horizontal working position
2 hand operation
Weight: 150 kg

Cat. no. 90052003



Power Split 700H

Motor: 1800 watt / 230V
 Kapacitet: 7 ton
 Working lenght: 52 cm
 Weight: 77 kg

Cat. no. 90052001



Power Split 600VG - Gasoline

Engine: 5 HP TG500B Power Line
 Capacity: 6 ton
 Working length: 50 / 105 cm
 Vertical working position
 2 hand operation
 Weight: 128 kg

Cat. no. 90052007



Power Split 600 V

Motor: 2200 watt / 230 volt
 Capacity: 6 ton
 Working length: 50 / 105 cm
 Vertical working position
 2 hand operation
 Weight: 128 kg

Cat. no. 90052006

Cross splitter head

Cat. no. 90052008



Power Split 601 V

Motor: 3000 watt / 380 volt
 Capacity: 6 ton
 Working length: 50 / 105 cm
 Vertical working position
 2 hand operation
 Weight: 128 kg

Cat. no. 90052005



Texas Off Roader

With the strong "Bison" ATV you get a workhorse that can perform the necessary assistance for all heavy and demanding tasks. Often used by farmers, forest workers and people with big land areas. Change to 4 wheel drive for maximum grip and stability. The big engine and the strong front winch enables you to outpower any heavy job you may have to do!



Texas power tools

Use the water pumps, generators and earth auger for various tasks. Easy to transport and use and with reliable engine.



100 mm Drill

Cat. no. 55720040

150 mm Drill

Cat. no. 55720170

200 mm Drill

Cat. no. 55720350

Extention bar 40 cm

Cat. no. 55750360



Earth auger NEG 52

Motor: 52 cc 2-stroke

Drilling depth: 70 cm

Ergonomic handle

Extention bar can be adapted

Excl. drills

Weight: 10.5 kg

Cat. no. NEG52



Submersible pump DW 550 for dirty water

Motor: 550 Watt / 230 Volt

Max capacity: 10.5 m³/h

Pressure height: 7,5 m

Suction depth: 8 m

Particle filter max. 35 mm

Weight: 5.1 kg

Cat. no. DW550



Gasoline water pump TGP 40-35

Engine: 2-stroke / 40.2 cc

Recoil start

Hose size: 1.5"

Capacity: 15 m³/h

Pressure height: 8 m

Suction height: 8 m

Weight: 10.5 kg

Cat. no. TGP40-35

Texas TGH2301

Engine: 4-stroke / 3.7 HP

Max capacity: 2300 watt

Starter: Recoil

Tank capacity: 12 litre

Plug: 2x230 volt - 1x12 volt

Weight: 43 kg

Cat. nr. TGH2301





Off-Roader Bison 400 4x4

Engine: 4-stroke / 400 cc oilcooled
Power: 16 HP / 12 kW
Starter: Electric / recoil
Transmission: 5 forward, 1 reverse
Gear shift: Electric
- automatic or hand controled
Transmission on wheels: 4x4
Speed: 80 km/h
Wheel size: 25x8-12 / 25x10-12
Weight: 260 kg

Cat. no. 90052069

Easy readable display



Electric gear shift and shift from 2WD to 4WD.



Tow bar for trailers and other accessories



Powerful winch for logs or other heavy material.
Remote controlled.

Shock absorber for off-road terrain



Tex Parts

Choose the accessories you need in our wide Tex Parts assortment.

We offer nice packaging ready solutions to put in the shop and competitive prices. The Tex Parts give you a chance to increase the sales and add value to your product range with a comprehensive range of products.



Brush cutters & trimmers Tex Parts

Extra line 2,0 mm - app. 130 m	Cat. no. 62005200
Extra line 2,4 mm - app. 90 m	Cat. no. 62005240
Extra line 3,0 mm - app. 60 m	Cat. no. 62005300
Extra line 4,0 mm - app. 35 m	Cat. no. 62005400
Trimmer line 1,0 mm - 15 m	Cat. no. 5011-00
Trimmer line 1,3 mm - 15 m	Cat. no. 5013-00
Trimmer line 1,6 mm - 15 m	Cat. no. 5012-00
Trimmer line 2,0 mm - 15 m	Cat. no. 5016-00
Trimmer line 2,4 mm - 15 m	Cat. no. 5015-00
Trimmer line 3,0 mm - 15 m	Cat. no. 5017-00
Trimmer head 2,4mm (Used for CG2300B)	Cat. no. 402980
Trimmer head 2,4mm	
(Used for CG250E and CG260E)	Cat. no. 402981
Small new type 2,0mm	
(Used for CG250E and CG260E)	Cat. no. 404333
Trimmerhead complete 10mm	Cat. no. 402982
3-tooth blade plastic	Cat. no. 5503-250
3-tooth blade metal	Cat. no. 5603-250
4-tooth blade plastic	Cat. no. 5504-250
4-tooth blade metal	Cat. no. 5604-250
8-tooth metal blade	Cat. no. 5608-250
80-tooth metal blade	Cat. no. 5680-250
Luxury carrying sling	Cat. no. 5200

Wood working products Tex Parts

Accessories for chain saws

Chain saw files 3 pcs 4 mm	Cat. no. 40-10140
Chain saw file with support 4mm	Cat. no. 40-10040H
Chain saw file 3 pcs 4,8 mm	Cat. no. 40-10148
Chain saw file with support 4,8 mm	Cat. no. 40-10048H
File Kit 3/8 4mm	Cat. no. 40-10060
File kit 4,8 mm	Cat. no. 40-10070

Saw chains in Tex Part packagings

Chain for saw - 44 links (91VSG-44E)	Cat. no. 40-103
Chain for saw - 45 links (91VSG-45E)	Cat. no. 40-104
Chain for saw - 49 links (91VSG-49E)	Cat. no. 40-109
Chain for saw - 50 links (91VSG-50E)	Cat. no. 40-110
Chain for saw - 52 links (91VSG-52E)	Cat. no. 40-111
Chain for saw 115 (91VSC-54E)	Cat. no. 40-115



Chain for saw - 64 links (21BPC-64E)	Cat. no. 40-210
Chain for saw - 72 links (21BPC-72E)	Cat. no. 40-213
Chain for saw - 57 links (91VSG-57E)	Cat. no. 40-250
Chain for saw - 55 links (91VSG-55E)	Cat. no. 40-260
Chain for saw - 56 links (91VSC-56E)	Cat. no. 40-270
Chain for saw - 64 links (95VP-64E)	Cat. no. 40-314

Oil products Tex Parts

Hydraulic Oil 1 ltr Texamatic 7045	Cat. no. 90306479
Multifak 0,5 ltr. Grease for the chain case for every tiller	Cat. no. 90306500
2-stroke oil 0,1 ltr	Cat. no. 90306480
2-stroke oil 1,0 ltr	Cat. no. 90306483
Chain oil 1,0 ltr	Cat. no. 90306490
Chain oil 4,0 ltr	Cat. no. 90306495
SAE 30 Engine oil 0,6 ltr	Cat. no. 90306506
Oil for hedge trimmer cutting edge 1 ltr, biological	Cat. no. 90306507
Nozzle tube 400 g Hytex for PFS flex-shaft	Cat. no. 90306510
Gear oil 80W9042TR for Pro Trac gear + rotary tiller 4 ltr	Cat. no. 90306502
Oil change kit	Cat. no. 40-11335
Engine oil MOTEX 1 ltr	Cat. no. 90306455
Mix. Container for 2 stroke engines. For mixing gasoline and oil. Total capacity	Cat. no. 40-11450

Various Tex Parts

40-11330 Universal starter cable with handle	Cat. no. 40-11330
595201 Safety helmet with front protection	Cat. no. 40-11700





The Texas history...

The year is 1960 "The Texas Year"

The company Texas is founded in 1960 in Odense, Denmark.

This is where the beginning of a business success takes place - but how did it all start up?

Here follows some history.

Andreas Petersen, a fresh and youthful son of a farmer from the Southern part of Denmark, had in the 1950's the wish to see something of the big wide world. He wished to go to Texas in the USA.

It was particularly the forestry, Andreas Petersen was interested in, and in the USA he got acquainted with a tool which within a couple of years should revolutionize the forestry in Denmark: The chain saw.

Sales possibilities in Denmark

After getting back to Denmark Andreas Petersen was convinced about the sales possibilities in the product for the Danish forests and forest workers. He quickly discovered an enormous interest in the products in

the Danish forests and the success was instant.

Later came a rising interest for having the digging work in the kitchen garden mechanised. As a result Andreas Petersen started in 1964 import the English manufactured tiller under the name Auto Culto.

Mr. "Texas"

Andreas Petersen realised his dream about becoming independent and getting his own company.

What was more natural than to name the company "TEXAS"? Not only because this was the nickname Andreas Petersen received when working in the forests but also because everything from "over there" was very popular in this particular period.

Selling tillers

Andreas Petersen now participated in several fairs, which gave him the option to show the product and the interest was enormous.

Consequently he started developing his own tiller for the Danish market and in January 1966 Andreas Petersen's first Danish manufactured tiller was a reality.

Development of the company Texas

In the following years the company experienced an enormous growth. Stiga, the Swedish lawn mower manufacturer, caught interest in Andreas Petersen and his "garden machine".

This was the beginning of a true export adventure. During the following 10 years 60% of the production of the company was exported to more than 25 countries. Later on also many other partners in Europe helped founding the basis of Texas as an international company.

Through the years Texas has succeeded in maintaining its market position and stay as one of the top suppliers and manufacturers within total solutions for the Garden and outdoor industry.



Not alone due to the strong products, and wide product range, large range of accessories and a high quality after sales service.

But also especially due to constant product development in close dialogue with the customers and users.

....read the full Texas story on www.texas.dk!



Dealer: